

COLECCIÓN ESPAÑOLA DE CULTIVOS TIPO (CECT)



Parc Científic Universitat de València
Catedrático Agustín Escardino, 9
46980 Paterna (Valencia). España
Tel.: +34 96 354 46 12
<http://www.cect.org>



PY-CMC MEDIUM (Polypeptone Yeast extract Carboxymethyl Cellulose Medium) . CECT 143

- Carboxymethyl cellulose (CMC) (Low viscosity) 10 g
- Polypeptone 5 g
- Yeast extract 5 g
- NaCl 5 g
- KH_2PO_4 1 g
- $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ 2 g
- Agar powder 18 g
- Distilled water 1 L

Adjust pH to 8.0-9.0.

Dissolve thoroughly all components in distilled water, except CMC and agar. Add CMC and agar.

Prepare 50 ml of 1M Carbonate/Bicarbonate buffer, pH 9.5. Sterilize separately. Mix and dispense aseptically.